



SECURITY DOOR CONTROLS ■ WWW.SDCSECURITY.COM  
 801 Avenida Acaso, Camarillo, CA 93012  
 [t] 800.413.8783 ■ 805.494.0622 ■ E-mail: service@sdsecurity.com

**TEMPLATE-S6203-KE03**

**Devices covered by this template:**  
**Panic / Fire SVR Exit Device with Electric Trim.**

THIS SIDE UP FOR LHR DOOR


PLACE THIS SIDE ON FRAME STOP

PLACE THIS SIDE ON DOOR

FOLD HERE  
**CAUTION**  
 DO NOT USE DOOR EDGE

**(4x) DEVICE MOUNTING HOLES**  
 TRIM: DRILL 5/16" CLEARANCE HOLES ON PUSH SIDE,  
 15/32" HOLES ON PULL SIDE.

**(2x) END CAP BRACKET HOLES**  
 METAL: DRILL / TAP FOR 1/4"-20  
 MACHINE SCREWS.  
 WOOD: PRE-DRILL 1/8" HOLES.  
 SEXBOLTS: DRILL 5/16" CLEARANCE  
 HOLES ON PUSH SIDE, 3/8" ON  
 PULL SIDE.



FRAME STOP

DOOR

TO FACE OF STOP  
 BACKSET 2-7/16"

CL OF  
 DEVICE

AFTER EXIT DEVICE IS MOUNTED,  
 INSTALL END CAP BRACKET  
 CENTERED ON DEVICE CL

Watch for special  
 mounting height  
 requirements

FINISHED FLOOR

THIS SIDE UP FOR RHR DOOR

FOLD HERE



**TOP LATCH  
TEMPLATE**

**(3x) Top Strike Holes**

METAL: DRILL / TAP FOR 1/4-20  
MACHINE SCREWS

WOOD: 1/8" PILOT DRILL

PLACE THIS SIDE ON  
TOP FRAME.

PLACE THIS SIDE ON  
DOOR SURFACE SIDE


**(2x) TOP LATCH HOLES**

METAL: DRILL / TAP FOR 1/4-20"  
MACHINE SCREWS

WOOD: PRE-DRILL 1/8" HOLES

LHR DOOR EDGE OR STOP FACE

RHR DOOR EDGE OR STOP FACE



**BOTTOM LATCH  
TEMPLATE**

(NOT REQUIRED FOR LBR DEVICE)


**(2x) TOP LATCH HOLES**

METAL: DRILL / TAP FOR 1/4-20"  
MACHINE SCREWS

WOOD: PRE-DRILL 1/8" HOLES

LHR DOOR EDGE OR STOP FACE

RHR DOOR EDGE OR STOP FACE



CUT HERE TO SEPARATE TOP TEMPLATE AND BOTTOM TEMPLATE



### TEMP-KE03 ELECTRIC TRIM TEMPLATE

